Fricke Landtechnik GmbH Demmin
Klänhammer Weg 2
17109 Demmin
Tel: 0049 (0) 3998-2729-0
Fax: 0049 (0) 3998272920

CLAAS Lexion 8600 Terra Trac [191.00020.2000323]

Year of manufacture: 2024	Date: 24.11.2026
Design:	Combine harvester
Category:	Combine harvester
Power:	404 kW (549 HP)
Mileage:	km
Operating hours:	164

€ 419,500.00

plus VAT 19% (€ 499,205.00 Gross)





Equipment

Autocontour	✔
On-board computer	✔
Width cutting unit	12,30
Yield measurement-GPS	✔
Cabin	✔
Air conditioning	✔
Rear tyre	620/70 R30
Tyres in front	Terra Trac Laufwerk 735 mm
Rotating beacon	✔

Description

Automatic throw direction adjustment
XL attachment drive, two-stage
Dust extraction
30 km/h travel speed
V-channel Auto Contour, chain, open deflection roller
Jet Stream cleaning, incl. 3D cleaning
Cutting unit cylinder with 2-way system, XL
Straw chopper – counter-blade/grinding floor adjustment, hydraulic

Cutting unit	✔
Cutterbar trolley	✔
Straw chopper	✔
Drum Lessons	92
Loss measurement	✔
State	Used
Hectare	528

Number plate lighting
Radial grain distributor – Special Cut, Premium Line
Straw chopper drive for radial distributor – Premium Plus
Automatic air conditioning with heating, including auxiliary pre-filter
Comfort seat – fabric, air-suspended
Electrically adjustable and heated rear-view mirror
Smartphone holder with wireless charging
Digital radio sound system (DAB+)
Sun blinds for side windows
Cool box including passenger seat
Leather armrest and leather steering wheel
LED work lights – Premium, including high-beam work lights
CEMIS 1200 terminal
SAT 900 GNSS receiver – RTK NET activation
Inclination sensor
Quantimeter yield measurement
Automodul
Roto Plus Standard 4/5
Cruise Pilot, pre-fitted
Grain meter including return volume measurement with CEBIS display
CEMOS Automatic – Cruise Pilot
CEMOS Automatic – Auto Cleaning
CEMOS Automatic – Auto Separation
Grain Quality Camera
CEMOS Automatic – Auto Crop Flow
CEMOS dialogue via CEBIS
CEMOS Automatic – Auto Threshing
Cutter bar brake
Grain hopper 13,500 litres
Grain tank outlet pipe 3XL, 330 mm diameter
Swivelling outlet spout
Auxiliary pump drive for straw spreader with chaff blower
Support wheels for crawler tracks
Terra Trac track width 735 mm, Camso
Steering axle L, adjustable
Steering axle tyres: 620/70 R30 x 335 IMP, 10-hole
Camera – rear, display on the terminal
Camera – trailer hitch, Profi Cam display
Camera – grain tank outlet pipe, Profi Cam display
Profi Cam camera screen
Crop logbook
CEMOS Automatic – 4D cleaning
Dynamic steering
Third brake light
Fire extinguisher

Cutting unit with transport trolley at extra cost:

CLAAS Vario 1230 cutting unit
Rapeseed kit with transport box
Stone deflector

Claas Type 521 transport trolley:
Overrun brake, max. 40 km/h