FRICKE
Landmaschinen

Fricke Landtechnik GmbH Demmin
Klänhammer Weg 2
17109 Demmin
Tel: 0049 (0) 3998-2729-0
Fax: 0049 (0) 3998272920

CLAAS Jaguar 960 [281.00110.2000169]

Year of manufacture: 2026

Date: 23.11.2026

Design:	Forage Harvester
Category:	Forage Harvester
Power:	480 kW (653 HP)
Mileage:	km
Operating hours:	168

Price on request





Equipment

automatic leaning device	✔
On-board computer	✔
electric counterblade	✔
electric grinder	✔
hectare counter	✔
Cabin	✔
Air conditioning	✔
Rear tyre	620/70 R30
Tyres in front	800/70 R38
Drum Lessons	131
V-blade drum	✔
Central lubrication	✔

Description

CEMOS AUTO PERFORMANCE
LED exhaust manifold lighting, synchronised and swivelling with manifold flap
Rear-view camera
AUTO FILL wagon filling system
QUANTIMETER yield measurement
GPS PILOT
Dynamic steering
CEMIS 1200 terminal
GPS PILOT – SAT 900 GNSS receiver
SAT 900 – RTK NET SATCOR 3 FAST
Comfort cab with A/C MATIC – automatic climate control

State	Used
Hectare	413

and heating
Windscreen wiper system for side and rear windows
GREEN EYE Edition
Rear-view mirror, electrically adjustable and heated
Storage box L incl. leather passenger seat
LED maintenance and access lighting
Digital radio (DAB+)
LED work lights – Premium
Variable front-mounted drive
Hands-free kit
CEBIS terminal
Smartphone holder with wireless charging
Cooling unit for Storage Box L
Comfort leather seat, air-suspended
Sun blinds for side and rear windows
Compressed air connection in cab, including air gun
Goodflow XL PREMIUM LINE professional
Universal counter-blade PREMIUM LINE
V-FLEX 36 chopping unit
Trailer coupling, automatic
Cover for half V-FLEX knife set
Smooth slats for upper feed roller
Maize knives V-FLEX 36
Maize counter-blade PREMIUM LINE
Counter-blade adjustment, automatic – Premium
Hydraulic pre-compression
MULTI CROP CRACKER CLASSIC L, 125/125 tines, hard-chromed
Corncracker gap adjustment, electro-hydraulic
Corncracker drive L, hydraulic belt tensioning
Silage additive system with tank (375 l)
Accelerator gap adjustment, electro-hydraulic
Standard ejection elbow
XL ejection elbow swivel ring, PREMIUM LINE
Drive axle tyres 800/70 R38 Mitas
Steering axle tyres 620/70 R30 Mitas
Travel speed 40 km/h
Tyre pressure regulation system for drive axle
Additional fuel tank 400 litres
DYNAMIC COOLING
Compressed air horn
Monitor for PROFI CAM / AUTO FILL
CEMOS AUTO CROP FLOW
CMOTION multifunction handle
Steering angle sensor
LED rear lights
STOP ROCK stone detector for hydraulic pre-compression
CRUISE PILOT cruise control
OPTI FILL automatic swivel system for XL turret
Automatic central lubrication system
Air compressor hose and air gun
Metal detector
Blade condition indicator, standard

Rotating beacons, 2 units
Extra-wide LED lights
Number plate lighting
Front warning sign
Close-range mirror
Fire extinguisher
Additional weight, 1 plate, 170 kg, fitted

ORBIS 750 transport system
AUTO CONTOUR ground contouring
Transport protection, automatic
PREMIUM LINE crop flow components
AUTO CONTOUR hydraulics
Field forage harvester attachment with transport system
Drive, 2-speed
Transport protection, automatically foldable