FRICKE
Landmaschinen

Mecklenburger Landtechnik GmbH Gülzow-Prüzen
Tarnower Landweg 8
18276 Gülzow-Prüzen
Tel: 0049 (0) 38450301219
Fax: 0049 (0) 38450301230

CLAAS Axion 950 Cmatic + GPS Starfire 6000 RTK [840]

Year of manufacture: 2023

Date: 09.11.2026

Design:	Tractor
Category:	Tractor
Power:	302 kW (410 HP)
Operating hours:	1420

€ 185,000.00

plus VAT 19% (€ 220,150.00 Gross)

Equipment

Ackerschiene	✔
Drive	All Wheel
Number of cylinders	6
Working headlights	✔
On-board computer	✔
Air brake	✔
EHR	✔
Front hydraulics	✔
Front linkage	✔
Speed	50
Cabin suspension	mechanical

Description

Year of manufacture: 2023
1,420 operating hours
GPS-ready with steering interface activation + John Deere Starfire 6000 RTK.

Premium LED package
Premium driver's package
2 spare headlights, A-pillar
Extra-wide rear lights, LED with warning signs
4x LED driving headlights, 2x LED work lights on bonnet
LED work lights – Premium

Air conditioning	Automatic climate control	LED work lighting – Premium
Load sensing	✔	
Air. Seat	✔	600/70 R34 Trelleborg TM900HP
Power beyond	✔	710/75 R42 Trelleborg TM900 High Power
Radio	✔	CLAAS front power lift 6.5 t - HD
Rear tyre	710/75 R42	External controls for front power lift and front control unit
Tyres in front	600/70 R34	Without front PTO
Control unit dw	6	CEBIS operator terminal with touchscreen function
Drawbar	✔	CMATIC incl. 2 speed presets + CSM, CEBIS
State	Used	ISOBUS preparation including rear ISO socket

Task Control Basic activation, tractor-side
AUTO PILOT / GPS PILOT Ready
CLAAS communication module (LTE)
CLAAS Remote Service including five-year licence
ISOBUS activation for CEBIS
ELECTROPILOT with reverse function
Steering interface prepared
Steering interface activation
Electronic lift control, standard EHR
Rear lift lower links, Category 3 catch hook
Lower link stabilisers, automatic
Mechanical top link, Category 3 catch hook
Hitch, with slot for drawbar
Drawbar with tow ball
Compressed air braking system (2-circuit), incl. air dryer
Single-pedal control
Load-sensing hydraulic system, variable pump 220 l/min, 200 bar
5 control valves, electro-hydraulic proportional
Front power lift + 1x double-acting, front-mounted and rear-connected
Power Beyond, load-sensing connections without flat-face couplers
Gearbox ratio at 50 km/h
PROACTIV front axle, braked
Thrust-type axle, 10-hole rims, external width 2.50 m
PTO shaft 540 ECO + 1000 rpm
PTO stub axles: 1 3/8" 6-piece and 1 3/4" 6-piece
Front wheel mudguards, swivelling, 620 mm
2 flanges for plug-in axle (single wheel)
410 PS max. power, 419 PS homologated rated power, ECE R 120
Battery main switch, electronic
Air compressor with air dryer
Cab with 4-point suspension
Electric mirrors, incl. wide-angle mirrors
Mudguard extensions to 2.75 m external width
Terminal rail, headlining
Removable toolbox, left-hand side
Additional interface sockets + USB

CEBIS
Comfort seat, fabric, semi-active longitudinal/horizontal

suspension
Automatic climate control, incl. Cat. 3 preparation
MP3 radio with Bluetooth, USB, SD, external microphone and hands-free function
Leather steering wheel
50 km/h sticker
2 LED rotating beacons
Premium LED package
Premium driver's package